

SITE AND CLIMATE




KEY


BUILDING SITE BUSINESS RESIDENTIAL HOSPITAL COLLEGE

SITE ADDRESS 1511 East Broadway, Columbia MO

Heating Degree Days: 4800 Cooling Degree Days: 1550







TARGET MARKET

Young adults and families in the Columbia Mo area, who need a flexible living environment for growing families and an affordable place to live

What is available in Columbia now...



- Requires vehicle to get around in Columbia
- Little to no green space
- High utility and rental
- Standard interiors

Our Design ...




- Close to Downtown Columbia (public transportation and walkability)
- On site gardening = reduce food costs
- Energy efficient building = low/no utility bill
- Low rent cost
- Interior flexibility
- Interior comfort and quality

ARCHITECTURE Summer sun Roof overhangs prevent direct sunlight into residential spaces but optimal Pollinator Pathway using energy generation from solar panels native plants to create Stormwater Collection System that habitats for birds/bees and collects rainwater from courtyard insects Open air building circulation which while providing natural light into the allows opportunity for residential cross underground parking garage ventilation, daylighting and removes the 1009 Solar Panels need to heat/cool this area Community Park Space with Stormwater Retention Basin Winter Sun allows direct light to enter residential for natural lighting and passive heating Underground Parking Garage Cross ventilation Utility Room that houses solar panel Storm shelter to provide a safe place for that allows the additional site helps with passive inverters, geothermal units and other severe weather like tornadoes and high cooling to be used for gardening mechanical functions winds that commonly occur in central opportunities Missouri



ARCHITECTURE

Floor Plan



3 BEDROOM WITH LOFT FLOOR PLAN

3 Bedroom Lofted Unit Perspective



3rd Bedroom Loft Unit



Lofted Level



2 BEDROOM FLOOR PLAN

2 Bedroom Unit Perspective



2 Bedroom Unit




Modified 2 Bedroom to a 1 Bedroom



ENGINEERING


Plumbing







Bosch Tronic 6000c wh17 Tankless Water Heater

Geothermal Plumbing Diagram



HVAC





Energy Recovery Ventilator



Honeywell Energy Recovery Ventilator VNT5070E 1000 ERV

MARKETING ANALYSIS

Flexible Units to Fit the Residents Needs







- Efficient

- Low cost

- High speed

Predictable

- Reduced errors

Customization

Inefficient

- High cost

- Time-consumina

- Craftsman quality

- Flexible

Unique

ICE design

High value


DIRTT **VS.** Conventional Power


Greenhouse



Direct Access to Green Space and Gardening Opportunities within a Community Environment

Commercial Spaces





EMBODIED ENVIRONMENTAL IMPACT

DIRTT Kitchen Example



DIRTT Cabinetry Example



DIRTT Panel Section




DIRTT Walls

- 95-97% Materials Purchased in North America
- Light-weight Aluminum Frame (High Recycled Content)
- 90-100% Pre-Consumer
 Recycled Content
 (Post-Industrial) Walls Tiles
- 80% Post-Consumer Recycled Cotton Denim Insulation

Metal Siding




Prefabricated SIP Wall Panels




All Core Construction Materials can be obtained within a 60 mile radius (excluding DIRTT Walls)

INTEGRATED PERFORMANCE


Passive Design Strategies




Interior Passive Design Strategies



Window Flashing Sequence



Exterior Envelope



INTEGRATED PERFORMANCE

Smart Technology







Honeywell Lyric WiFi Smart Thermostat

- Can be controlled by app
- Alerts to change filter
- Warns occupants of extreme indoor temperatures
- Intelligent comfort control
- Works with Amazon Alexa, Apple HomeKit, Cortana, and Google Assistant for Voice Controls
- 7-day flexible scheduling or location based temperature control

Haiku 52" Big Ass Fan

- Can be controlled by app
- Has a Fan Eco Mode (along with other special modes)
- 16 Dimmable Light Levels
- SenseMe Motion Sensor and Settings
- Includes Temperature and Humidity Sensors
- Works with Amazon Alexa, Google Assistant, and ecobee for Voice Controls

Halo RL4 SeleCCTable Downlight


- Field-Selectable Color Temperatures LED Downlight
- 5 Selectable Color Temperatures: 2700K, 3000K, 3500K, 4000K, 5000K
- CRI: 90
- Phase-Dimming down to 5%




OCCUPANT EXPERIENCE

Education Opportunities through water collection systems, gardens, greenhouses, community center and pollinator pathway


Co-Op allows everyone to have an invested interest in the building and this allows the residents to make choices about what happens in the building.








Material Changes

ENERGY PERFORMANCE

















HERS Index for Building

EUI Rating

Solar Panel Model SIL - 330 NL

